

Product Name: PCT Reactor Spray Adjuvant
APVMA Approval No: 86258/115145



| | |
|-------------|----------------------------|
| Label Name: | PCT Reactor Spray Adjuvant |
|-------------|----------------------------|

| | |
|------------------|--|
| Signal Headings: | |
|------------------|--|

| | |
|-------------------------|--|
| Constituent Statements: | ACTIVE CONSTITUENT: 417 g/L AMMONIUM SULFATE |
|-------------------------|--|

| | |
|-----------------|--|
| Mode of Action: | |
|-----------------|--|

| | |
|----------------------|---|
| Statement of Claims: | For use with glyphosate based herbicides to minimise antagonism when mixing with flowable herbicides and improve performance under adverse environmental conditions |
|----------------------|---|

| | |
|---------------|---|
| Net Contents: | Contents: 20 L 110 L 200 L 1000 L |
|---------------|---|

| | |
|------------|--|
| Restrains: | |
|------------|--|

| | |
|---------------------|--|
| Directions for Use: | This section contains file attachment. |
|---------------------|--|

| | |
|--------------------|--|
| Other Limitations: | |
|--------------------|--|

| | |
|----------------------|--|
| Withholding Periods: | |
|----------------------|--|

| | |
|---------------|--|
| Trade Advice: | |
|---------------|--|

| | |
|-----------------------|--|
| General Instructions: | <p>GENERAL INSTRUCTIONS:</p> <p>PCT Reactor Spray Adjuvant should be used with non-selective herbicides only, as with some selective herbicides use may result in loss of selectivity and therefore crop damage. Ammonium sulfate may be corrosive to metal parts of the sprayer. Thoroughly flush tanks, pumps and nozzles with water after use.</p> |
|-----------------------|--|

| | |
|---------------------|--|
| Resistance Warning: | |
|---------------------|--|

| | |
|--------------|--|
| Precautions: | |
|--------------|--|

| | |
|--------------|--|
| Protections: | |
|--------------|--|

| | |
|-----------------------|---|
| Storage and Disposal: | <p>STORAGE AND DISPOSAL:</p> <p>KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>Refillable containers Empty contents fully into application equipment. Close all valves and return to designated collection point for refill or storage.</p> |
|-----------------------|---|

| | |
|--------------------|-----------------------------------|
| Safety Directions: | Avoid contact with eyes and skin. |
|--------------------|-----------------------------------|

| | |
|-------------------------|--|
| First Aid Instructions: | FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766. |
|-------------------------|--|

| | |
|---------------------|--|
| First Aid Warnings: | |
|---------------------|--|

DIRECTIONS FOR USE

| SITUATION | RATE | CRITICAL COMMENTS |
|--|------------------------------|--|
| To minimise antagonism in tank mixes with flowable herbicides. For use where improved performance under adverse environmental conditions is required. | 2 L/ 100 L of spray solution | <ol style="list-style-type: none">1. Half fill spray tank with clean water and start agitation.2. Add PCT Reactor Spray Adjuvant liquid through top opening of spray tank.3. With agitation still running, add the flowable herbicide to the tank and mix thoroughly.4. Add the required amount of Glyphosate based product and the remaining water. Mix thoroughly.5. Add surfactant, if required, near the end of the filling process to minimise foaming.6. Always maintain adequate agitation during application and use the tank mix promptly. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.