

Label image proudly supplied by


Infopest
infopest@dpi.qld.gov.au

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



WETTER 600

SURFACTANT

ACTIVE CONSTITUENT: 600g/L NONYL PHENOL ETHYLENE OXIDE CONDENSATE

**FOR USE WITH HERBICIDES
INSECTICIDES AND FUNGICIDES**

CONTENTS 1000 LITRES



PCT HOLDINGS Pty Ltd

ACN 099 023 962 ABN 11 099 023 962

Unit 1/74 Murdoch Circuit

Acacia Ridge Qld 4110

Tel: (07) 3711 7022

Fax: (07) 3711 7055

APVMA Approval No: 60788/1000L/0206

*Reactor is a registered trademark of
PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)

DIRECTIONS FOR USE:

HORTICULTURAL SPRAYS:

Add PCT REACTOR WETTER 600 at 10mL per 100L of spray (2mL per 15L knapsack). PCT REACTOR WETTER 600 is recommended for addition to all horticultural sprays except those known to include adequate wetting agent in the formulation. Increased activity will be obtained by increasing the rate for waxy leaved plants which are normally hard to wet. It is important to spray only to the point of wetness. Excessive use of wetting agents can cause run-off of active ingredient with consequent loss of efficiency.

WEED KILLING SPRAYS:

PCT REACTOR WETTER 600 should be added to all post-emergence herbicide sprays to increase their efficiency except those which are known to contain adequate wetting agent in the formulation. Wetter should be added only where directed on individual labels as use with selective herbicides outside label directions may reduce crop selectively. For foliar active herbicides spray to the point where leaves and stems are just wet. Spraying beyond this will encourage run-off, with obvious loss of spray chemicals. When spraying waxy or hairy leaved plants which are normally hard to wet, increased activity will be obtained by increasing the rate of PCT REACTOR WETTER 600. It is important that the leaves and stems are thoroughly wetted for foliar herbicides to work efficiently particularly when treating dense, tall vegetation.

TYPE OF EQUIPMENT	QUANTITY OF PCT REACTOR WETTER 600 to add to spray
High volume power spray	12mL/100L
Low volume boom spray	60mL/100L
Misting machines	5mL/5L
Knapsack	2mL/15L

PARAQUAT AND DIQUAT (eg: Reglone®, Gramoxone®, Sprayseed®)

For the maximum efficiency of these contact herbicides a higher rate of PCT REACTOR WETTER 600 must be used to ensure even and thorough coverage of plant foliage and to increase absorption. This is particularly important for killing grasses and tall, dense vegetation.

TYPE OF EQUIPMENT	QUANTITY OF PCT Reactor Wetter 600 to add to spray
High volume power spray	200mL/100L of spray
Boom spray	200mL/100L of spray
Knapsack	30mL/15L of spray

SOIL RESIDUAL HERBICIDES:

When applying soil active herbicides such as Difenuron or Alachlor to standing weeds, add PCT REACTOR WETTER 600 to thoroughly wet foliage. Rates will range from 125mL - 500mL/100L depending on product used. Consult product labels for individual recommendations and restrictions.

FIRE FIGHTING:

PCT REACTOR WETTER 600 is an efficient aid to fire fighting. It increases the wetting power of water which assists in quick control and mopping up of fires.

TYPE OF EQUIPMENT	QUANTITY OF PCT REACTOR WETTER 600 to add to spray
Water Tanker	10mL/100L of water
Knapsack	2mL/15L of water

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

PCT REACTOR WETTER 600 is a spray additive designed for use with fungicides, insecticides and weed killers. PCT REACTOR WETTER 600 increases the activity and efficiency of pesticides and herbicides. It increases wetting and improves spray coverage. PCT REACTOR WETTER 600 can be used with alkaline sprays and mixes easily with all types of water. It will not injure the tenderest foliage if used as directed. Spray only to the point where leaves are just wet. Spraying beyond this will encourage run-off, with obvious loss of spray chemicals.

MIXING:

PCT Reactor Wetter 600 mixes easily and quickly with water and should be added direct to the spray tank. It should not be added direct to undiluted sprays containing wetting agents.

STORAGE AND DISPOSAL:

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS:

May irritate the eyes and skin. Avoid contact with eyes and skin. When using or preparing product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC/rubber gloves and goggles. If product on skin immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. *Phone Australia 13 11 26.* If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

MATERIAL SAFETY DATA SHEET:

If additional hazard information is required, refer to the Material Safety Data Sheet.

LIMIT OF WARRANTY AND LIABILITY:

"PCT Holdings Pty Ltd" ("PCT") has no control over the storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. PCT accepts no liability for any loss or damage arising from incorrect storage, handling or use.

THIS PRODUCT IS NOT CLASSIFIED AS A DANGEROUS GOOD UNDER THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL.

Reglone®, Gramoxone®, Sprayseed® are registered trademarks of a Syngenta Group Company.

Barcode

In an Emergency
Dial 000
Police or Fire Brigade